

Aug 9 2000

TEXAS WATER DEVELOPMENT BOARD
GROUND WATER DATA SYSTEM

GROUND WATER QUALITY SAMPLES
COUNTY - Anderson

Well	Aquifer	Well Depth (Feet)	Date of Collection	pH	Silica (SiO2) MG/L	Calcium (Ca) MG/L	Magnesium (Mg) MG/L	Sodium (Na) MG/L	Potassium (K) MG/L	Carbonate (CO3) MG/L	Bicarb. (HCO3) MG/L	Sulfate (SO4) MG/L	Chloride (Cl) MG/L	Fluoride (F) MG/L	Nitrate (NO3) MG/L	Dissolved Solids MG/L	Spec. Cond. (micromhos)	Hardness as CaCO3 MG/L	Percent Sodium	SAR	RSC
34 57 701	124WLCX	690	08/19/1970	8.1	14	8	5	378		0	437	<4	360	0.2	<.4	984	1890	41	95	25.7	6.3
34 57 801	124WLCX	446	08/19/1970	8.4	14	5	4	72		2	170	18	19	0.1	<.4	218	368	28	84	5.9	2.3
34 58 701	124QNCT	29	08/05/1970	6.7	35	30	5	20	12	0	63	24	31	0.2	40.0	228	350	96	30	0.9	0
34 58 904	124WLCX	1032	10/10/1986	8.5		2	2	144		12	295	38	16	0.4	0.0	359	600	12	96	17.9	5.0
	124WLCX	1032	04/27/1993	8.4	15	2	0	154	2	7	305	50	10	0.2	<.0	390	605	6	98	26.3	5.1
	124WLCX	1032	05/20/1998	8.4	15	2	<1	142	1	10	319	34	13	0.1	<.2	373	608	6	98	24.8	5.4
34 58 905	124QNCT	67	09/15/1993	6.1	17	27	3	18	2	0	59	47	8	0.1	9.8	160	256	80	32	0.9	0
34 59 701	124WLCX	560	08/05/1970	8.2	17	11	2	57		0	135	39	6	0.2	<.4	198	324	34	78	4.2	1.5
34 59 803	124WLCX	760	08/05/1970	8.4	14	4	2	82		2	164	48	7	0.1	1.0	240	396	17	91	8.4	2.4
34 59 902	124QNCT	56	08/05/1970	6.2	37	11	1	18		0	41	7	20	<.1	3.5	117	160	32	53	1.3	.0
34 60 403	124QNCT	180	08/05/1970	5.9	22	3	3	6		0	21	2	8	<.1	<.4	53	65	19	38	0.6	0
34 60 601	124QNCT	20	06/14/1944	6.7	24	5	2	3	3	0	13	4	3	0.4	11.0	60	61	19	25	0.3	0
	124QNCT	20	07/00/1947	U 5.7	30	10	4	2				4	16	0.2	18.0			41	9	0.1	
34 60 602	124CRRZ	652	06/30/1949	7.9		7	2	76		10	176	18	8			206		25	86	6.5	2.7
	124CRRZ	652	07/16/1962	7.4		6	2	66		0	176	21	7	0.1	2.0	190	340	23	86	6.0	2.4
	124CRRZ	652	08/20/1970	8.2	13	6	3	63		0	171	19	5	<.1	1.0	193	328	25	84	5.5	2.3
34 60 603	124CRRZ	605	08/18/1964	7.8		14	2	76		0	123	19	58	0.2	1.0	230	434	43	79	5.0	1.2
	124CRRZ	605	04/28/1993	7.7	12	7	2	72	5	0	179	18	6	0.2	0.0	211	328	27	85	6.0	2.4
	124CRRZ	605	05/20/1998	7.9	12	6	2	66	4	0	183	19	5	0.1	<.2	203	345	23	85	5.9	2.5
34 60 605	124WLCX	726*	02/22/1982	8.2		6	3	71		2	176	21	9	0.1	0.0	198	360	26	85	6.0	2.4
	124WLCX	806	03/04/1983	7.9		7	2	71		7	159	24	8	0.1	0.0	197	280	24	86	6.3	2.4
34 60 701	124QNCT	200	07/11/1960	U 4.0	31	15	10	8		0	0	58	48	0.0	0.0	169	318	78	17	0.4	0
34 60 801	124QNCT	50	08/05/1970	6.0	30	7	2	9		0	22	2	13	0.1	5.0	78	92	24	44	0.8	0
34 60 902	124CRRZ	739	12/18/1969	U 8.8		10	2	39		22	88	17	9	0.1	1.5	143	220	33	71	3.0	1.5
	124CRRZ	739	12/24/1969	U						0											
34 60 903	124CRRZ	560	10/27/1967	8.0	14	10	2	64		0	176	13	8	0.1	0.0	197	380	31	81	4.9	2.3
	124CRRZ	560	10/01/1970	8.2	11	9	4	59		0	176	14	6	0.1	<.4	189	320	37	77	4.2	2.1
34 60 904	124CRRZ	790	05/24/1989	U 8.8		12	3	43		30	123	22	7	0.1	<.0	176	286	40	69	2.9	2.2
34 61 403	124CRRZ	760	08/04/1970	8.3	8	7	3	91		0	217	39	7	0.2	<.4	262	456	28	87	7.4	3.0
34 61 501	124CRRZ	900	12/03/1969	7.6	10	9	3	112		0	153	108	28			345	565	34	87	8.3	1.8
	124CRRZ	900	12/03/1969	7.7	11	8	3	107		0	157	99	23			328	544	32	87	8.2	1.9
	124CRRZ	900	08/10/1970	9.4	15	4	1	49		16	85	12	6	<.1	<.4	144	233	11	90	6.3	1.7
	124CRRZ	900	06/09/1982	8.1	12	1	<0	48		0	106	14	4	0.2	<.0	132	213	4	95	9.6	1.7
34 61 702	124QNCT	32	08/04/1970	5.9	16	7	4	6		0	20	1	13	<.1	13.0	69	101	32	28	0.5	0
34 61 703	124CRRZ	615	08/04/1970	8.2	12	12	5	52		0	173	14	6	0.2	<.4	186	316	51	68	3.2	1.8
	124CRRZ	615	06/05/1975	7.8	9	13	3	54	5	0	172	15	6	0.2	1.0	190	333	43	73	3.6	2.0
34 61 802	124QNCT	63	08/04/1970	7.3	34	71	8	17		0	167	18	43	<.1	32.0	305	528	211	14	0.5	0
34 61 804	124QNCT	105	05/20/1998	U 6.1	33	12	7	9	5	0	60	27	14	0.0	<.2	135	213	57	26	0.5	0
34 61 806	124QNCT	340	07/21/1993	U 6.1	28	10	7	8	6	0	46	28	14	0.1	0.1	123	204	52	25	0.5	0

* Depth value here reflects the bottom of the SAMPLED INTERVAL which was different from the completed well depth
U after date of collection signifies unbalanced or partial chemical analysis

GROUND WATER QUALITY SAMPLES
COUNTY - Anderson

Well	Aquifer	Well Depth (Feet)	Date of Collection	pH	Silica (SiO2) MG/L	Calcium (Ca) MG/L	Magnesium (Mg) MG/L	Sodium (Na) MG/L	Potassium (K) MG/L	Carbonate (CO3) MG/L	Bicarb. (HCO3) MG/L	Sulfate (SO4) MG/L	Chloride (Cl) MG/L	Fluoride (F) MG/L	Nitrate (NO3) MG/L	Dissolved Solids MG/L	Spec. Cond. (micromhos)	Hardness as CaCO3 MG/L	Percent Sodium	SAR	RSC
38 01 101	124WLCX	531	08/19/1970	8.5	14	2	2	288		5	471	2	170	0.2	<.4	715	1310	14	97	32.4	7.6
38 01 103	124WLCX	370	09/29/1965	8.8		4	<0	306		18	483	6	187	0.3	<.4	759	1452	11	98	39.0	8.3
	124WLCX	370	08/20/1970	8.6	13	2	2	317		11	491	<4	205	0.3	<.4	795	1474	11	98	40.4	8.2
	124WLCX	370	06/05/1975	8.4	10	2	1	317	1	2	509	<4	198	0.4	3.6	789	1485	8	98	48.6	8.3
	124WLCX	370	06/10/1982	8.7	12	3	0	317	1	13	489	4	200	0.3	0.8	791	1476	7	98	50.7	8.3
38 01 104	124WLCX	774	08/12/1965	8.7	16	3	1	472		29	488	8	412	0.4		1180		12	98	59.0	8.7
38 01 202	124CRRZ	18	08/20/1970	6.8	18	68	15	17	32	0	109	15	49	0.1	170.0	437	715	231	13	0.5	0
	124CRRZ	18	06/05/1975	7.1	27	51	6	11	23	0	111	29	25	0.3	57.0	284	465	152	13	0.4	0
	124CRRZ	18	06/10/1982 U	7.2	29			8		0	57	20	17	0.1		300					
38 01 301	124CRRZ	450	08/27/1970	5.9	12	2	1	5		0	12	<4	5	<.1	<.4	35	42	9	53	0.7	.0
38 01 501	124WLCX	673	09/18/1969	8.2		42	5	94		10	181	103	42	0.2	2.2	386	590	126	61	3.6	0.8
	124WLCX	673	10/02/1969	7.2		97	17	82		0	207	230	56	0.1	3.6	586	820	309	36	2.0	0
	124WLCX	673	10/31/1969	7.2		106	19	75		0	198	256	57	0.3	<.4	610	1160	342	32	1.8	0
	124WLCX	673	04/27/1993	7.9	20	21	4	70	4	0	171	41	21	0.1	<.0	265	405	69	68	3.7	1.4
38 01 503	124WLCX	470	08/27/1970	7.5	32	33	7	30		0	149	26	22	0.2	<.4	223	374	111	36	1.2	0.2
38 01 504	124QNCT	66	09/14/1993	6.4	11	37	7	39	5	0	79	18	25	0.1	96.7	277	434	119	41	1.6	0
	124QNCT	66	06/09/1998	6.4	35	33	6	30	5	0	76	18	30	0.0	46.5	240	398	106	37	1.3	0
38 01 701	110AVCZ	58	08/20/1970	7.6	23	155	18	138		0	373	72	266	0.2	8.0	863	1694	460	39	2.8	0
38 01 806	124WLCX	514	05/25/1967	6.3		32	7	25		0	54	88	21	0.1	1.0	200	300	110	33	1.7	0
	124WLCX	514	06/09/1998	8.0	22	19	4	66	3	0	168	44	21	0.1	<.2	262	416	63	69	3.7	1.5
38 01 808	124WLCX	653	07/06/1989	5.8		26	12	31		0	27	117	28	0.1	0.0	227	340	116	36	1.2	0
38 01 902	124WLCX	280	07/26/1954	6.4	31	22	8	15		0	85	16	25	0.1	0.4	159		87	27	0.7	0
	124WLCX	280	08/25/1970	5.8		9	4	10	2	0	22	10	29	<.1	<.4	75	163	38	35	0.7	0
38 02 101	124CRRZ		07/11/1960	5.0	11	7	4	10		0	4	34	12	0.1	0.0	80	125	34	38	0.7	0
38 02 302	124WLCX	1206	05/11/1965	8.5		2	1	247		10	399	<4	142	0.2	<.4	602	1125	9	98	35.6	6.7
	124WLCX	1206	09/11/1966	8.3		2	1	248		7	406	4	143	<.1	<.4	605	1148	9	98	35.8	6.7
	124WLCX	1206	08/26/1970	8.3	18	1	1	250		0	420	<4	149	0.1	<.4	630	1136	7	98	39.4	6.7
	124WLCX	1206	04/26/1993	8.4	17	1	0	271	2	6	408	2	144	0.1	<.0	644	1050	4	99	54.5	6.8
38 02 401	124CRRZ	110	08/14/1970	5.8	11	3	2	6		0	9	12	6	<.1	<.4	44	64	15	44	0.6	0
38 02 402	124WLCX	630	08/13/1970	8.8	14	2	1	188	<1	16	459	3	8	0.3	<.4	459	770	9	97	25.9	7.8
	124WLCX	630	06/04/1975	8.4	12	2	0	185	<1	2	482	5	9	0.5	<.4	454	780	5	98	34.4	7.9
	124WLCX	630	11/18/1981	8.8	13	2	0	187	2	16	461	5	3	0.4	0.2	454	781	4	98	36.4	8.0
	124WLCX	630	11/19/1986	8.7	12	1	0	188	1	14	463	6	8	0.4	0.2	459	797	4	98	36.8	8.0
38 02 501	124RKLW	160	08/19/1970 U	3.2	50	12	14	37		0	0	257	60	0.5	<.4	430	960	87	47	1.7	0
38 02 605	124WLCX	425	08/18/1970	7.9	15	6	2	59		0	155	14	4	0.1	<.4	176	296	23	84	5.3	2.1
38 02 606	124WLCX	985	04/25/1973	8.6	13	2	0	209		24	422	50	14	0.3	0.8	520	822	5	98	40.7	7.6
38 02 702	124QNCT	24	08/18/1970	6.6	46	29	5	11		0	100	13	13	0.1	8.0	174	258	94	19	0.5	0
	124QNCT	24	06/04/1975	6.6	35	18	4	15	12	0	66	14	13	0.2	31.0	174	250	61	34	0.8	0
38 02 803	124CRRZ	200	08/24/1970	8.6	15	4	2	68		5	168	12	6	0.1	<.4	195	318	17	89	7.1	2.6
38 02 901	124QNCT	33	08/13/1970	5.8	36	6	6	70		0	27	27	84	0.2	28.0	270	465	40	78	4.8	0
38 03 101	124QNCT	77	08/12/1970	7.4	16	48	3	6		0	133	<4	9	<.1	25.0	176	286	132	8	0.2	0
	124QNCT	77	09/20/1976	7.7	17	45	2	4		0	129	<4	10	<.1	11.0	156	264	119	6	0.2	0
	124QNCT	77	06/10/1982	7.3	18	28	1	7	3	0	78	2	16	<.1	8.2	122	204	75	16	0.4	0
	124QNCT	77	11/19/1986	7.3	19	27	3	7	3	0	68	2	13	<.1	24.5	131	211	78	16	0.3	0

* Depth value here reflects the bottom of the SAMPLED INTERVAL which was different from the completed well depth
U after date of collection signifies unbalanced or partial chemical analysis

GROUND WATER QUALITY SAMPLES
COUNTY - Anderson

Well	Aquifer	Well Depth (Feet)	Date of Collection	pH	Silica (SiO2) MG/L	Calcium (Ca) MG/L	Magnesium (Mg) MG/L	Sodium (Na) MG/L	Potassium (K) MG/L	Carbonate (CO3) MG/L	Bicarb. (HCO3) MG/L	Sulfate (SO4) MG/L	Chloride (Cl) MG/L	Fluoride (F) MG/L	Nitrate (NO3) MG/L	Dissolved Solids MG/L	Spec. Cond. (micromhos)	Hardness as CaCO3 MG/L	Percent Sodium	SAR	RSC
38 03 201	124QNCT	50	08/12/1970	6.8	16	87	20	18	34	0	88	29	47	<.1	270.0	564	894	299	11	0.5	0
38 03 301	124QNCT	51	08/12/1970	7.4	36	157	15	73		0	362	143	131	0.2	<.4	733	1341	453	25	1.5	0
38 03 402	124QNCT	26	08/13/1970	6.1	13	15	5	8		0	28	2	18	<.1	32.0	107	184	58	23	0.5	0
38 03 501	124QNCT	34	08/13/1970	7.5	17	24	2	2		0	73	<4	4	<.1	6.0	95	139	68	5	0.1	0
38 03 503	124WLCX	1525	12/02/1976	8.8		5	0	102		14	161	56	15	0.1	0.0	271	450	12	94	12.4	2.9
38 03 602	124CRRZ	759	08/12/1970	7.8	13	30	7	7	10	0	122	19	7	<.1	<.4	153	262	102	12	0.3	0
38 03 603	124CRRZ	836	11/20/1986	7.4		13	3	33		0	83	32	9	0.4	0.0	130	200	43	62	2.2	0.5
	124CRRZ	836	04/27/1993	6.8	12	13	3	26	5	0	99	10	5	0.2	<.0	123	187	44	56	1.7	0.7
38 03 701	124WLCX	1163	09/18/1963	8.8	13	1	0	159		24	305	37	14			398	655	4	98	34.0	5.7
	124WLCX	1163	10/30/1963	8.7		1	1	155		11	331	44	12	0.3	<.4	387	690	6	98	26.2	5.7
	124WLCX	1163	09/11/1970	8.7	17	2	1	154		8	340	40	13	0.2	<.4	403	680	9	97	21.6	5.7
38 03 703	124CZWX	484	09/20/1976	6.8	24	11	10	8	10	0	49	32	14	<.1	<.4	133	202	68	20	0.4	0
	124CZWX	484	06/10/1982	6.6	27	12	10	9		0	43	37	14	<.1	0.0	130	207	71	21	0.5	0
38 03 803	124QNCT	190	08/12/1970	4.7	50	6	5	15	2	0	0	55	12	0.2	<.4	145	181	36	47	1.1	0
38 03 804	124QNCT	185	08/12/1970	6.1	23	14	6	12	1	0	44	26	20	<.1	<.4	124	200	60	30	0.7	0
	124QNCT	185	05/21/1998	5.6	20	8	3	3	3	0	28	3	11	0.0	1.9	65	96	32	18	0.3	0
38 03 805	124WLCX	1320	04/18/1989	8.5		2	0	117		4	288	12	7	0.2	<.0	283	508	5	97	21.1	4.7
	124WLCX	1320	05/20/1998	8.5	16	1	<1	112	<1	11	262	10	7	0.1	<.2	287	468	5	98	22.1	4.6
38 03 902	124CRRZ	760	08/11/1970	7.8	12	13	3	31	3	0	123	11	4	<.1	<.4	138	231	45	59	2.0	1.1
	124CRRZ	760	06/05/1975	7.6	9	13	2	31	5	0	121	11	5	0.2	<.4	136	233	42	61	2.1	1.1
38 04 101	124QNCT	21	08/11/1970	6.8	41	51	4	12		0	159	15	17	0.1	<.4	218	340	144	15	0.4	0
	124QNCT	21	06/05/1975	7.0	35	32	2	9	2	0	103	5	16	0.2	4.4	156	231	90	17	0.4	0
	124QNCT	21	05/20/1998	6.9	27	36	2	11	1	0	131	8	6	0.1	<.2	156	258	99	19	0.5	0.2
38 04 201	124CRRZ	655	08/06/1970	8.2	13	3	2	84		0	225	7	7	0.1	<.4	226	381	14	92	9.6	3.4
38 04 202	124CRRZ	840	02/12/1996	8.2		2	1	99		16	231	7	7	0.2	<.0	245	448	9	95	14.3	4.1
38 04 305	124WLCX	864	09/28/1970	7.9	11	2	2	102		0	262	12	8	0.1	<.4	266	447	10	95	13.4	4.1
	124WLCX	864	06/06/1975	8.3	10	4	1	104	2	0	261	12	9	0.3	1.8	270	465	11	94	13.0	4.0
38 04 306	124CRRZ	750	02/12/1996	8.2		2	<1	99		16	231	7	7	0.2	<.0	245	448	9	95	14.3	4.1
38 04 403	124QNCT	340	08/11/1970	6.9	28	26	8	6	4	0	129	5	10	<.1	<.4	151	246	97	11	0.3	0.2
	124QNCT	340	09/21/1976	7.5	27	18	1	44		0	144	2	17	<.1	<.4	180	284	48	66	2.8	1.4
	124QNCT	340	06/09/1982	6.6	22	7	3	6	4	0	23	2	19	<.1	0.0	74	111	29	31	0.5	0
38 04 406	124QNCT	80	07/20/1993	7.0	18	30	1	1	1	0	88	3	2	0.1	3.7	103	159	79	3	0.1	0
38 04 501	124QNCT	32	08/11/1970	7.5	27	32	3	4		0	107	2	4	<.1	5.5	130	191	92	8	0.2	0
38 04 602	124QNCT	44	08/11/1970	7.0	24	29	2	5		0	79	2	7	<.1	15.0	122	176	79	11	0.2	0
38 04 702	124QNCT	35	08/12/1970	5.7	57	1	0	7		0	4	3	3	0.1	8.0	81	47	3	81	1.7	0
38 04 801	124QNCT	90	07/12/1960	6.1	22	52	20	48	6	0	25	36	168	0.1	28.0	392	738	211	32	1.4	0
38 04 805	124CRRZ	707	02/20/1961	7.7	9	6	2	59		0	154	13	9	0.1	0.0	173	285	23	84	5.3	2.1
	124CRRZ	707	06/14/1977	7.7	10	7	2	56		0	154	15	6	0.1	<.4	172	302	25	82	4.8	2.0
	124CRRZ	707	06/09/1982	8.0	11	6	2	57	4	0	157	16	7	0.1	0.6	181	308	22	84	5.2	2.1
38 04 902	124QNCT	357	08/10/1970	8.1	14	21	5	33	4	0	146	19	9	<.1	<.4	177	300	72	49	1.7	1.0

* Depth value here reflects the bottom of the SAMPLED INTERVAL which was different from the completed well depth
U after date of collection signifies unbalanced or partial chemical analysis

GROUND WATER QUALITY SAMPLES
COUNTY - Anderson

Well	Aquifer	Well Depth (Feet)	Date of Collection	pH	Silica (SiO2) MG/L	Calcium (Ca) MG/L	Magnesium (Mg) MG/L	Sodium (Na) MG/L	Potassium (K) MG/L	Carbonate (CO3) MG/L	Bicarb. (HCO3) MG/L	Sulfate (SO4) MG/L	Chloride (Cl) MG/L	Fluoride (F) MG/L	Nitrate (NO3) MG/L	Dissolved Solids MG/L	Spec. Cond. (micromhos)	Hardness as CaCO3 MG/L	Percent Sodium	SAR	RSC
38 05 102	124QNCT		08/06/1970	5.6	27	3	2	8		0	6	<2	16	<.1	11.0	72	84	17	50	0.9	0
38 05 103	124CRRZ	805	08/06/1970	8.5	16	3	1	160		6	397	14	8	0.4	<.4	403	680	9	97	22.0	6.5
38 05 401	124WLCX	712	03/12/1940		43	6	2	335		10	612	2	165	0.3	0.3	864		24	96	29.4	9.9
	124WLCX	712	06/25/1940 U					339		43	552	4	168			808					
	124WLCX	712	04/21/1949	8.3	12	6	2	327	5	0	618	1	163	0.9	0.8	820	1420	22	96	29.5	9.7
38 05 702	124QNCT		08/06/1970	5.5	18	3	2	6		0	6	1	13	<.1	7.0	53	69	16	43	0.6	0
	124QNCT		06/05/1975	5.7	17	4	3	6	2	0	5	2	14	0.1	12.0	61	90	20	40	0.6	0
	124QNCT		06/09/1982	6.0	20	4	3	8	2	0	5	2	16	<.1	16.5	73	101	21	45	0.8	0
38 05 703	124QNCT	58	05/21/1998	6.2	38	45	1	10	1	0	142	2	15	<.0	3.5	185	252	117	15	0.4	0
38 05 805	124CRRZ	380	08/06/1970	10.4	4	2	1	86		88	35	8	12	0.2	<.4	218	462	9	95	12.1	3.3
	124CRRZ	380	09/14/1970	10.7	4	2	2	88		116	9	7	10	0.2	<.4	225	520	12	94	11.0	3.5
38 09 101	124RKLW	44	08/20/1970	7.1	24	21	3	4		0	68	2	5	<.1	5.0	97	144	62	12	0.2	0
38 09 201	124RKLW	29	08/21/1970	6.3	35	20	4	23		0	48	9	37	<.1	14.0	165	258	65	43	1.2	0
38 09 301	124RKLW	40	08/20/1970	6.1	39	84	24	102		0	43	81	298	0.3	<.4	649	1314	308	41	2.5	0
38 09 502	110TRRC	100	07/16/1973	7.1	10	92	59	38		0	95	408	43	0.6	<.4	697	1298	472	14	0.8	0
38 09 601	124WLCX	985	10/28/1966	8.4	12	2	1	238		14	565	6	24			575	939	9	98	34.3	9.6
	124WLCX	985	02/10/1972	8.7	12	1	1	184		11	465	5	10	0.4	<.4	453	768	9	97	26.7	7.8
	124WLCX	985	07/16/1973	8.6	13	1	1	233		11	553	7	26	0.6	1.3	566	960	8	98	34.8	9.3
	124WLCX	985	06/05/1975	8.7	14	1	0	230	<1	14	544	7	26	0.6	1.5	563	1001	4	99	48.2	9.3
38 09 602	110TRRC	57	07/16/1973	7.7	21	156	11	63	15	0	257	94	187	0.3	39.0	712	1395	434	23	1.3	0
38 09 603	110TRRC	34	07/16/1973 U	6.9	31	48	4	27	15	0	215	30	17	0.8	18.0	295	520	133	30	1.0	0.9
38 09 604	110TRRC	12	07/16/1973	7.5	15	48	5	7	18	0	207	<4	5	0.4	0.6	205	357	140	9	0.3	0.6
38 09 605	110TRRC	42	07/17/1973	7.1	14	66	5	7		0	227	8	8	0.2	<.4	220	411	185	7	0.2	.0
38 09 606	110TRRC	50	07/17/1973	7.9	13	11	4	204		0	554	4	13	0.7	<.4	522	889	43	90	13.4	8.2
38 09 607	124WLCX	985	01/17/1975	8.3	12	1	<1	259		22	596	2	28	0.5	1.0	618	1090	4	99	52.8	10.4
	124WLCX	985	06/10/1982	8.8	15	1	0	245		22	572	8	27	0.5	<.0	600	1071	3	99	53.4	10.0
	124WLCX	985	11/19/1986	8.7	14	1	1	247	1	19	577	8	28	0.6	<.0	602	1064	4	99	53.4	10.0
	124WLCX	985	06/09/1998	8.6	16	1	<1	248	<1	24	539	6	29	0.4	<.2	591	987	3	99	55.7	9.6
38 09 608	124WLCX	1010	11/22/1977	8.6	11	1	<1	232		10	547	10	22	0.8	<.1	556	889	6	98	39.3	9.2
38 09 609	124WLCX	1052	10/07/1986	8.6		2	1	239		14	494	20	39	0.5	0.0	558	900	6	98	42.3	8.5
38 09 903	124WLCX	1242	08/22/1995	8.5		2	2	748		24	866	<1	665	1.1	<.0	1869	3822	13	99	89.5	14.7
38 10 101	124WLCX	610	07/26/1954	8.5		2	1	246		24	555	19	21	0.9	<.4	587		9	98	35.5	9.7
38 10 103	124QCRK	150	01/17/1972	5.8	26	68	24	24		0	32	229	33	0.2	<.4	420	742	268	16	0.6	0
38 10 104	124QNCT	54	01/18/1972	7.2	21	48	9	22		0	116	27	26	<.1	48.0	258	441	157	23	0.8	0
38 10 105	124QNCT	33	01/18/1972	7.7	11	23	7	52		0	54	58	49	0.1	29.0	255	453	87	56	2.4	0
38 10 106	100ALVM	50	01/18/1972	7.1	21	38	6	11		0	48	57	20	0.3	16.0	192	318	118	16	0.4	0
38 10 107	124QNCT	42	01/18/1972	7.6	15	78	28	81		0	301	125	53	0.6	57.0	585	1050	309	36	2.0	0
38 10 108	124QNCT	461	01/18/1972	8.5	12	6	2	118		2	314	15	7	0.2	<.4	317	536	23	91	10.5	4.7
38 10 109	124QNCT	500	01/18/1972	8.5	13	4	2	176		4	425	16	25	0.3	<.4	449	780	19	95	17.2	6.7

* Depth value here reflects the bottom of the SAMPLED INTERVAL which was different from the completed well depth
U after date of collection signifies unbalanced or partial chemical analysis

GROUND WATER QUALITY SAMPLES
COUNTY - Anderson

Well	Aquifer	Well Depth (Feet)	Date of Collection	pH	Silica (SiO2) MG/L	Calcium (Ca) MG/L	Magnesium (Mg) MG/L	Sodium (Na) MG/L	Potassium (K) MG/L	Carbonate (CO3) MG/L	Bicarb. (HCO3) MG/L	Sulfate (SO4) MG/L	Chloride (Cl) MG/L	Fluoride (F) MG/L	Nitrate (NO3) MG/L	Dissolved Solids MG/L	Spec. Cond. (micromhos)	Hardness as CaCO3 MG/L	Percent Sodium	SAR	RSC
38 10 110	124QNCT	50	01/18/1972	7.4	15	20	2	7		0	56	6	7	<.1	13.0	98	151	59	20	0.4	0
38 10 111	124WLCX	790	06/09/1998	8.7	16	1	<1	178	<1	14	356	19	32	0.2	<.2	437	693	4	98	36.2	6.2
38 10 204	124WLCX	500	08/24/1970	8.3	15	2	1	98	<1	0	236	24	9	0.2	<.4	266	444	10	95	13.4	3.7
38 10 205	124WLCX	680	09/21/1976	8.4	14	1	0	168		2	427	13	10	0.2	1.0	419	725	3	99	38.9	7.0
	124WLCX	680	11/18/1981	8.8	23	1	0	169	1	13	406	5	14	0.3	1.1	427	730	2	99	42.5	7.0
	124WLCX	680	11/19/1986	8.7	13	1	0	172	1	11	410	16	9	0.3	0.4	425	735	3	99	43.0	7.0
38 10 301	124QNCT	30	07/12/1960	6.1	30	10	5	8		0	21	0	24	0.0	14.0	101	145	44	28	0.5	0
38 10 401	124WLCX	375	07/11/1960	8.0	12	4	2	147		0	365	18	14	0.3	0.0	376	604	17	94	15.3	5.6
38 10 502	124RKLW	36	08/25/1970	6.3	73	17	2	37	<1	0	51	16	21	<.1	53.0	244	296	49	61	2.3	0
38 10 503	124WLCX	770	04/10/1986	8.8		2	1	198		19	449	16	15	0.2	0.0	471	800	8	98	30.2	7.8
	124WLCX	770	04/27/1993	8.8	14	1	0	223	2	17	470	16	13	0.3	<.0	517	788	4	99	47.9	8.2
38 10 601	124RKLW	55	07/11/1960	6.2	36	14	7	20		0	28	18	31	0.0	27.0	166	250	63	40	1.1	0
38 10 701	124WLCX	1015	08/25/1970	8.6	16	2	1	252		14	593	8	30	0.6	<.4	615	1057	7	98	40.4	10.1
38 10 801	124WLCX	580	08/26/1970	9.3	20	7	2	97	2	32	214	6	6	0.2	<.4	277	474	23	89	8.6	4.1
38 10 803	124WLCX	1240	04/01/1982	8.6		2	1	258		19	524	13	67	0.6	0.5	618	1000	8	98	39.6	9.1
38 10 804	124WLCX	1164	04/13/1981	8.7		2	1	253		24	508	6	68	0.5	0.0	603	861	8	98	38.7	9.0
38 10 805	124WLCX	1220	08/20/1994	8.5	13	2	0	240		13	456	0	75	0.5	0.0	567	1100	5	98	43.0	7.8
	124WLCX	1220	11/01/1994	8.6		27	<1	278		17	581	12	77	0.6	0.0	698	1251	71	89	14.3	8.7
38 10 902	124CRRZ	260	08/25/1970	7.1	14	32	8	34	3	0	118	72	19	0.1	<.4	240	435	112	39	1.4	0
38 11 102	124WLCX	842	08/27/1970	7.3	62	5	2	45	<1	0	98	11	23	0.1	<.4	198	252	22	81	4.1	1.2
38 11 203	124QNCT		08/28/1970	7.3	27	27	2	6		0	87	8	7	<.1	1.5	121	178	76	15	0.3	0
38 11 303	124QNCT	196	08/28/1970	7.3	27	48	4	10	<1	0	150	4	13	<.1	21.0	201	330	136	13	0.4	0
38 11 401	124RKLW	51	09/30/1970	6.3	16	244	109	171		0	123	500	585	0.4	<.4	1686	3510	1057	26	2.3	0
38 11 501	124QNCT	46	09/25/1970	7.1	44	15	2	22		0	35	17	22	<.1	17.0	156	210	46	50	1.4	0
38 11 603	124WLCX	1550	09/13/1964	8.2	14	2	1	85		0	217	5	5	0.1		218	341	7	96	12.3	3.4
	124WLCX	1550	09/19/1964	8.4		3	<1	79		1	199	7	4	0.2	<.8	193	346	9	94	11.1	3.1
	124WLCX	1550	10/01/1970	8.3	19	3	2	75		0	210	6	4	<.1	<.4	212	339	15	91	8.3	3.1
	124WLCX	1550	05/22/1998	8.3	20	4	<1	75	1	4	201	5	3	0.1	<.2	212	335	11	93	9.6	3.2
38 11 604	124CZWX	1206	09/25/1986	8.2		7	3	64		10	142	16	15	0.1	0.0	184	300	29	82	5.1	2.1
38 11 702	124QNCT	36	09/09/1970	6.4	10	22	5	21		0	22	30	22	<.1	50.0	171	292	76	37	1.1	0
38 11 703	124WLCX	1275	09/05/1986	8.5		3	2	111		12	268	2	10	0.1	0.0	271	480	14	94	12.8	4.5
38 11 801	124WLCX	1604	07/24/1940	7.8	20	3	0	66		10	151	7	4	0.2	0.2	184		9	93	9.4	2.6
	124WLCX	1604	06/14/1944	8.1	20	4	1	56	2	11	129	5	3	0.2	0.8	165	260	11	91	7.1	2.2
	124WLCX	1604	11/13/1946	7.7	17	5	1	79		0	201	7	11	0.2	<.4	219		16	91	8.4	3.0
	124WLCX	1604	02/29/1952	8.7	19	12	2	56		6	153	13	7	0.2	<.4	190		38	76	3.9	1.9
	124WLCX	1604	02/15/1955		17	4	2	76		6	177	12	11	0.1	<.4	215		18	90	7.8	2.7
	124WLCX	1604	06/22/1960 U	8.4		4	<1	62		2	172	9	8	0.1	<.4	171	295	14	90	7.2	2.6
	124WLCX	1604	04/22/1965	8.5		3	1	61		2	155	7	4	0.2	<.4	155	275	11	91	7.8	2.4
	124WLCX	1604	05/16/1968	8.3		3	1	73		0	183	8	6	0.1	<.4	181	324	11	93	9.3	2.8
	124WLCX	1604	06/05/1975	8.1	5	28	3	16	3	0	45	41	30	0.2	0.6	149	280	83	29	0.8	0
38 11 802	124QNCT	20	01/19/1961	7.0	13	49	9	18	18	0	203	23	11	0.3	13.0	254	427	159	19	0.6	0.1
	124QNCT	20	09/21/1976	6.6	49	6	2	16	3	0	23	31	7	0.1	<.4	125	142	23	60	1.5	0

* Depth value here reflects the bottom of the SAMPLED INTERVAL which was different from the completed well depth
U after date of collection signifies unbalanced or partial chemical analysis

GROUND WATER QUALITY SAMPLES
COUNTY - Anderson

Well	Aquifer	Well Depth (Feet)	Date of Collection	pH	Silica (SiO2) MG/L	Calcium (Ca) MG/L	Magnesium (Mg) MG/L	Sodium (Na) MG/L	Potassium (K) MG/L	Carbonate (CO3) MG/L	Bicarb. (HCO3) MG/L	Sulfate (SO4) MG/L	Chloride (Cl) MG/L	Fluoride (F) MG/L	Nitrate (NO3) MG/L	Dissolved Solids MG/L	Spec. Cond. (micromhos)	Hardness as CaCO3 MG/L	Percent Sodium	SAR	RSC	
38 11 901	124WLCX	1596	06/16/1940	8.0	20	2	1	86		10	200	7	5		0.0	229		8	95	13.2	3.4	
	124WLCX	1596	07/24/1940 U	7.8						8	182	6	4		0.2	180						
	124WLCX	1596	02/18/1941	8.1	15	4	1	69		0	165	8	14	<.4	<.4	192		14	91	8.0	2.4	
	124WLCX	1596	06/14/1944	8.2	20	3	1	72	2	10	175	3	5	0.4	0.0	202	332	11	93	9.1	3.0	
	124WLCX	1596	04/23/1951	8.2	20	5	3	80		0	214	8	11	0.1	<.4	232		24	87	7.0	3.0	
	124WLCX	1596	02/25/1952	8.0	19	2	1	79	2	0	201	6	7	0.0	0.0	214	334	7	95	12.7	3.2	
	124WLCX	1596	02/15/1955	8.3	16	3	1	89		12	189	14	11	0.1	<.4	239		11	94	11.4	3.3	
	124WLCX	1596	06/22/1960	8.6		3	<1	73		6	183	12	7	0.1	<.4	192	387	11	93	9.3	3.0	
	124WLCX	1596	04/22/1965	8.2		3	<1	75		0	189	7	6	0.2	2.0	186	323	9	94	10.6	2.9	
	124WLCX	1596	05/16/1968	8.3		2	2	110		0	245	6	35	0.3	<.4	276	507	13	94	13.2	3.8	
	38 11 902	124CRRZ	2227	02/24/1955	6.0	11	23	7	21		0	55	57	20			166		86	34	1.0	0
		124CRRZ	2227	03/02/1955	8.3	14	8	2	71		12	183	2	7			205		28	84	5.8	2.8
124CRRZ		2227	03/11/1955	8.2	16	16	3	89		12	244	13	10			278		52	78	5.4	3.4	
124CRRZ		2227	03/11/1955	8.5	18	4	1	332		30	464	<1	216			830		14	98	38.5	8.3	
124CRRZ		2227	04/08/1955	8.3	13	4	1	198		12	337	<1	104			498		14	96	22.9	5.6	
124CRRZ		2227	07/27/1955	8.7	19	3	1	241		18	494	5	67	0.4	<.4	597		11	97	30.8	8.5	
124CRRZ		2227	06/22/1960	8.3		5	4	157		0	325	8	87	0.1	<.4	421	790	28	92	12.7	4.8	
124CRRZ		2227	04/22/1965	8.2		5	2	247		0	406	<4	143	0.3	<.4	601	1120	20	96	23.6	6.3	
124CRRZ		2227	05/16/1968	8.4		4	2	190		4	350	5	101	0.3	<.4	478	900	18	95	19.4	5.5	
38 11 903		124WLCX	1950	03/19/1969	8.5		1	<1	146		5	368	5	6	0.3	1.0	346	608	6	97	24.7	6.1
38 11 905		124QNCT	380	04/21/1949	6.2	20	21	12	21	4	0	57	48	42	0.1	0.2	196	350	101	30	0.9	0
38 12 104	124QNCT	30	09/08/1970	7.6	36	28	2	13		0	87	6	6	<.1	23.0	156	216	78	26	0.6	0	
38 12 201	124QNCT	43	07/12/1960	6.6	26	44	10	58		0	154	38	36	0.0	75.0	362	562	151	45	2.1	0	
38 12 302	124QNCT	29	09/09/1970	5.6	62	7	5	103		0	9	189	40	0.2	1.0	411	628	36	85	7.4	0	
38 12 402	124CRRZ	654	09/30/1966	7.4		38	3	46		0	122	51	38	0.5	0.5	237	380	107	48	1.9	0	
	124CRRZ	654	03/15/1968	6.5		9	5	36		0	66	40	23	0.3	<.4	146	290	43	64	2.4	0.2	
38 12 403	124QNCT	310	09/10/1970	5.5	34	7	4	8		0	9	30	11	<.1	<.4	98	134	35	32	0.6	0	
38 12 502	124CRRZ	622	12/22/1972	7.5		4	3	46		0	132	16	8	0.1	0.0	142	270	23	80	4.1	1.7	
	124CRRZ	622	04/18/1993	6.8	12	7	2	48	5	0	129	16	5	0.2	<.0	159	247	26	79	4.1	1.6	
38 12 604	124QNCT	350	09/25/1970	7.7	9	15	5	59	3	0	200	15	9	0.1	<.4	213	358	56	69	3.4	2.2	
38 12 605	124WLCX	1435*	10/24/1973	8.7	13	1	<1	227		29	500	6	21	0.3	1.0	544	880	4	99	46.3	9.1	
	124CRRZ	448*	11/11/1973	7.9	10	5	1	75		0	188	15	6	0.1	0.8	205	350	16	90	8.0	2.8	
	124CRRZ	489*	12/07/1973	7.6	9	5	1	76		0	192	16	5	0.1	0.3	206	348	16	90	8.1	2.8	
38 12 606	124CRRZ	531	01/18/1974	7.9	9	4	1	77		0	189	17	7	0.2	0.5	208	370	14	92	8.9	2.8	
38 12 701	124QNCT	47	07/12/1960	5.5	29	6	2	4		0	8	0	13	0.0	9.9	68	82	24	26	0.4	0	
38 12 703	124CRRZ	725	09/09/1970	7.7	11	15	5	41		0	153	14	6	0.1	1.0	168	294	59	60	2.3	1.3	
	124CRRZ	725	06/05/1975	7.7	8	20	6	37	5	0	162	15	7	0.2	0.6	178	313	73	52	1.9	1.2	
	124CRRZ	725	06/10/1998	8.2	14	19	6	37	5	0	159	15	6	0.1	<.2	180	304	70	53	1.9	1.2	
38 12 801	124QNCT	28	09/09/1970	6.1	22	30	16	26		0	22	3	68	<.1	93.0	268	471	140	28	1.0	0	
38 12 903	124QNCT	56	07/03/1986	5.7	47	5	1	11	1	0	24	14	4	1.0	1.2	97	90	15	60	1.2	0.1	
	124QNCT	56	06/09/1998	6.9	50	<1	<1	12	1	0	12	14	4	<.0	1.2	88	72	3	88	2.9	0.1	
38 13 106	124CRRZ	502	02/10/1965	8.3	16	8	3	93		12	222	17	11	0.3		269		31	86	7.1	3.4	
	124CRRZ	502	12/03/1965	8.3		8	2	90		0	243	17	9	0.1	<.4	245	438	28	87	7.4	3.4	
	124CRRZ	502	09/15/1970	8.1	11	7	3	89		0	244	14	9	0.1	<.4	253	435	28	87	7.2	3.4	
	124CRRZ	502	06/05/1975	7.8	10	6	1	98	2	0	245	15	10	0.2	<.4	263	450	19	91	9.6	3.6	
38 13 107	124CRRZ	508	04/28/1993	7.9	12	5	1	104	3	0	244	15	9	0.1	<.0	269	419	18	92	10.6	3.6	
	124CRRZ	508	05/21/1998	8.2	12	5	1	90	2	1	234	14	8	0.1	<.2	249	431	16	92	9.6	3.6	

* Depth value here reflects the bottom of the SAMPLED INTERVAL which was different from the completed well depth
U after date of collection signifies unbalanced or partial chemical analysis

GROUND WATER QUALITY SAMPLES
COUNTY - Anderson

Well	Aquifer	Well Depth (Feet)	Date of Collection	pH	Silica (SiO2) MG/L	Calcium (Ca) MG/L	Magnesium (Mg) MG/L	Sodium (Na) MG/L	Potassium (K) MG/L	Carbonate (CO3) MG/L	Bicarb. (HCO3) MG/L	Sulfate (SO4) MG/L	Chloride (Cl) MG/L	Fluoride (F) MG/L	Nitrate (NO3) MG/L	Dissolved Solids MG/L	Spec. Cond. (micromhos)	Hardness as CaCO3 MG/L	Percent Sodium	SAR	RSC
38 13 405	124CRRZ	455	10/01/1970	7.8	10	10	5	77		0	229	15	10	0.1	<.4	240	414	44	79	5.0	2.9
38 13 704	124QNCT	87	09/14/1970	6.2	25	4	1	13		0	12	8	10	<.1	11.0	78	101	14	65	1.5	0
38 13 805	124WLCX	248	09/14/1970	8.1	11	3	2	198		0	514	3	20	0.5	<.4	491	846	17	96	20.9	8.1
	124WLCX	248	06/05/1975		10	4	1	237	2	0	610	1	21	0.9	<.4	577	1015	12	97	28.8	9.7
	124WLCX	248	06/15/1977	8.4	11	3	1	243		2	630	<4	18	0.8	<.4	593	1022	11	97	31.4	10.2
	124WLCX	248	06/09/1982	8.5	11	2	<0	221	2	8	549	4	20	0.7	<.0	539	936	5	98	39.9	9.2
	124WLCX	248	11/18/1986	8.2	14	16	4	112	2	0	260	55	28	0.2	<.0	358	632	56	81	6.5	3.1
38 18 202	124CRRZ	215	08/26/1970	7.3	13	35	8	19	2	0	124	43	16	<.1	<.4	197	346	120	25	0.8	0
38 18 203	124WLCX	1193	08/31/1983	8.3		2	1	290		12	498	28	130	0.3	0.0	708	1200	10	98	39.7	8.4
38 18 206	124WLCX	1170	05/12/1978	8.1	14	2	0	253		0	543	1	76	0.5	<.1	613	1030	5	99	49.3	8.8
38 18 603	124WLCX	517	01/19/1955	7.5	13	9	1	474		0	816	3	264			1164		24	97	42.1	12.9
38 18 901	124WLCX	359	07/12/1960	7.7	13	7	3	259		0	682	0	20	1.2	0.0	638	1020	28	95	21.3	10.6
38 19 103	124WLCX	30	09/30/1970	6.5	40	15	4	11		0	50	13	10	<.1	11.0	127	164	52	31	0.7	0
38 19 201	124WLCX	1380	10/16/1964	8.4	16	2	0	122		6	299	9	6			308	478	7	97	19.9	5.0
	124WLCX	1380	04/23/1968	8.4	3	1	1	113		2	294	7	4	0.1	0.5	275	486	11	95	14.4	4.7
	124WLCX	1380	04/28/1993	8.2	19	3	1	120	2	0	288	7	4	0.2	0.0	296	446	9	96	17.0	4.5
38 19 301	124WLCX	2355	12/15/1954	7.7	17	16	5	30		2	68	36	20			160		60	51	1.7	0
	124WLCX	2355	12/19/1954	8.6	17	3	1	384		48	878	0	32			916		11	98	49.1	15.8
	124WLCX	2355	12/21/1954	8.5	20	5	2	167		24	329	6	48			433		20	94	16.0	5.8
	124WLCX	2355	12/29/1954	8.2	20	8	2	160		12	342	0	52			422		28	92	13.1	5.4
	124WLCX	2355	01/05/1955	10.4	20	8	3	356		372	110	48	32			893		32	95	27.3	13.6
	124WLCX	2355	01/07/1955	8.9	17	5	2	323		72	708	2	13			782		20	97	30.9	13.6
	124WLCX	2355	02/12/1955	8.6	15	2	1	240		36	512	2	31			577		6	98	34.6	9.5
	124WLCX	2355	02/15/1955		16	2	1	246		18	531	13	46	0.4	<.4	603		9	98	35.5	9.1
	124WLCX	2355	06/22/1960	8.5		4	<1	220		12	537	1	40	0.4	<.4	542	964	12	97	25.5	9.0
	124WLCX	2355	04/22/1965	8.5		4	<1	239		7	520	5	52	0.6	<.4	564	1000	12	97	30.0	8.5
	124WLCX	2355	05/16/1968	8.6		2	1	240		12	548	5	47	0.6	<.4	577	1050	9	98	34.6	9.2
38 19 303	124WLCX	1700	06/23/1966	8.4		2	1	154		34	317	10	11	1.0	0.7	368	550	8	97	23.5	6.2
38 19 401	124CRRZ	315	02/11/1942			20	7	103		0	253	64	20		0.5	338	567	78	74	5.1	2.6
	124CRRZ	315	10/01/1966	7.6		23	8	92		0	140	134	19	0.3	<.4	345	642	90	68	4.2	0.5
	124CRRZ	315	09/29/1970	7.4	12	27	9	92		0	142	154	20	0.2	<.4	384	690	104	65	3.9	0.2
38 19 402	124WLCX	590	03/12/1940		16	6	2	353		4	888	2	37	1.0	0.1	858		24	96	31.0	14.2
	124WLCX	590	04/22/1949	8.2	14	4	2	340	4	0	861	0	37	1.2	0.0	825	1340	17	97	34.7	13.8
	124WLCX	590	09/29/1970	8.1	15	6	2	341		0	879	<4	36	1.0	<.4	837	1430	23	96	30.9	13.9
	124WLCX	590	06/06/1975	8.3	13	5	1	339	2	0	866	<4	37	1.5	<.4	828	1485	15	97	37.4	13.9
38 19 404	124WLCX	525	03/12/1940		14	6	2	278		16	684	1	21	0.6	0.1	675		24	96	24.8	11.3
	124WLCX	525	02/02/1942			6	2	264		6	682	2	19		0.0	634		23	96	23.8	10.9
	124WLCX	525	04/22/1949	8.1	14	4	2	251	3	0	657	0	18	0.7	0.2	616	1010	17	96	26.4	10.4
38 19 405	124WLCX	583	07/03/1976	8.2		4	0	307		23	726	0	33	0.9	0.0	725	1150	11	98	39.9	12.4
38 19 406	124WLCX	653	06/05/1986	8.5		3	1	266		22	644	5	14	1.0	0.0	628	980	10	98	36.5	11.1
38 19 407	124WLCX	1844	07/21/1993 U	8.3	12	3	0	300		26	776	0	37	1.5	0.0	761	1300	8	98	44.3	13.4
38 19 408	124WLCX	1706	07/22/1993 U	8.3	13	12	2	98		0	303	2	19	1.4	0.9	296	1030	36	85	7.1	4.2
38 19 503	124QNCT	26	09/15/1970	6.8	56	17	2	22		0	63	11	12	0.1	25.0	176	222	49	48	1.4	.0
38 19 504	124QNCT	38	06/07/1975	6.8	35	17	1	19	4	0	49	15	12	0.2	22.0	148	210	45	47	1.2	0
	124QNCT	38	06/10/1982	6.5	43	10	2	26	6	0	23	14	13	<.1	55.2	180	232	33	62	1.9	0
38 19 604	124CRRZ	582	05/09/1996	7.0		2	1	66		0	154	23	8	0.1	<.0	175	313	9	94	9.5	2.3

* Depth value here reflects the bottom of the SAMPLED INTERVAL which was different from the completed well depth
U after date of collection signifies unbalanced or partial chemical analysis

GROUND WATER QUALITY SAMPLES
COUNTY - Anderson

Well	Aquifer	Well Depth (Feet)	Date of Collection	pH	Silica (SiO2) MG/L	Calcium (Ca) MG/L	Magnesium (Mg) MG/L	Sodium (Na) MG/L	Potassium (K) MG/L	Carbonate (CO3) MG/L	Bicarb. (HCO3) MG/L	Sulfate (SO4) MG/L	Chloride (Cl) MG/L	Fluoride (F) MG/L	Nitrate (NO3) MG/L	Dissolved Solids MG/L	Spec. Cond. (micromhos)	Hardness as CaCO3 MG/L	Percent Sodium	SAR	RSC
38 19 802	124CRRZ	408	07/12/1960	6.9	12	6	2	52		0	129	17	8	0.2	0.0	160	252	21	83	4.8	1.7
	124CRRZ	408	06/06/1975	7.6	12	11	1	49	2	0	142	16	6	0.3	<.4	167	290	32	76	3.8	1.7
	124CRRZ	408	06/10/1982	7.7	12	3	1	50		0	122	15	5	0.1	<.0	145	246	10	90	6.6	1.8
38 19 902	124CRRZ	470	09/15/1970	7.3	11	5	3	55		0	145	15	7	<.1	<.4	167	284	23	83	5.0	1.9
38 20 103	124CRRZ	764	12/17/1956	7.1		5	2	63		0	159	11	8			165		17	88	6.5	2.3
38 20 104	124WLX	2244	09/25/1964	8.5	12	1	1	361		22	730	0	109			863	1450	4	99	61.1	12.6
	124WLX	2244	10/28/1964	8.5	15	1	1	367		17	752	1	112			883	1390	4	99	71.7	12.8
	124WLX	2244	11/02/1964	8.5		2	<1	359		13	742	5	116	0.8	<.4	861	1568	7	99	58.8	12.5
38 20 105	124CRRZ	741	08/30/1982	7.0	4	4	1	65		0	154	13	10	0.2	0.2	172	262	12	91	7.9	2.3
38 20 201	124QNCT	55	07/11/1960	6.2	60	28	4	20		0	78	8	28	0.1	23.0	210	283	87	33	0.9	0
38 20 203	124CRRZ	720	12/22/1964	7.3	9	3	2	71		0	166	20	8			194	301	15	90	7.8	2.4
	124CRRZ	720	10/15/1970	7.3	11	4	3	60		0	146	18	7	0.2	<.4	175	298	21	85	5.6	2.0
	124CRRZ	720	06/15/1977	7.7	11	10	1	61		0	160	20	6	0.2	<.4	188	320	29	81	4.9	2.0
	124CRRZ	720	06/09/1982	7.5	14	31	11	17	5	0	120	49	13	<.1	<.0	198	346	121	23	0.7	0
	124CRRZ	720	11/18/1986	8.0	12	4	2	61	3	0	149	19	7	0.2	<.0	181	308	17	88	6.4	2.1
38 20 302	124QNCT	380	09/17/1970	5.9	21	4	2	5		0	11	3	10	<.1	1.0	51	60	17	37	0.5	0
	124QNCT	380	06/06/1975	7.5	20	37	2	5	2	0	107	1	14	0.2	3.0	136	232	98	9	0.2	0
	124QNCT	380	06/09/1982	6.7	23	9	2	4	2	0	22	1	12	<.1	5.0	67	90	28	23	0.3	0
38 20 402	124QNCT	22	09/17/1970	6.1	47	9	2	12		0	31	12	10	<.1	<.4	106	114	27	48	1.0	0
	124QNCT	20	09/18/1970	6.1	22	6	2	3		0	15	10	7	<.1	1.5	59	68	24	22	0.3	0
	124QNCT	20	06/06/1975	6.3	15	10	2	4	7	0	21	14	6	0.2	5.5	72	106	30	19	0.3	0
124QNCT	20	09/22/1976	7.2	16	14	4	3	5	0	39	13	6	<.1	18.0	98	150	53	11	0.2	0	
38 20 604	124WLX	1840	09/16/1970	8.7	17	2	2	364		22	823	<4	80	0.9	<.4	896	1584	11	98	45.7	14.0
38 20 702	124WLX	860	09/16/1970	8.3	15	5	3	351		0	940	<4	33	1.6	<.4	875	1518	26	96	29.7	14.9
38 20 801	124CRRZ	1060	11/22/1957	7.9	13	0	<0	132	2	0	302	23	14	0.1	0.5	332	530	0	99	60.2	4.9
	124CRRZ	1060	06/20/1962	7.7		1	0	126		0	290	23	22	0.2	<.4	315	630	2	99	34.7	4.7
	124CRRZ	1060	03/16/1966	8.2		1	<1	126		0	293	19	14	0.3	<.4	305	546	4	98	21.3	4.7
	124CRRZ	1060	09/16/1970	7.9	13	1	2	126		0	304	20	12	0.3	<.4	324	548	9	96	17.3	4.8
	124CRRZ	1060	06/06/1975	7.8	12	1	<0	133	2	0	316	17	13	0.4	<.4	334	575	3	98	30.0	5.1
	124CRRZ	1060	06/10/1982	8.3	13	1	0	141		0	323	20	13	0.3	<.0	347	596	1	99	43.5	5.3
	124CRRZ	1060	04/28/1993	8.0	13	1	0	140	2	0	309	18	14	0.3	<.0	339	533	2	99	42.7	5.0
	124CRRZ	950	08/07/1990	8.2		2	0	142		5	290	44	16	0.2	0.0	351	600	4	98	29.7	4.8
124CRRZ	950	05/18/1998	8.3	13	1	<1	130	<1	1	301	25	13	0.3	<.2	333	575	3	98	31.1	4.9	
38 20 904	124SPRT	28	09/17/1970	4.8	88	3	3	27		0	0	54	18	<.1	<.4	193	207	20	74	2.6	0
38 20 905	124QNCT	203	09/23/1970	7.5	11	41	13	13	5	0	203	<4	20	<.1	<.4	207	387	155	15	0.5	0.2
	124SPRT	30	09/23/1970	5.5	20	2	2	5		0	5	8	5	<.1	4.0	48	52	12	45	0.6	0
38 21 506	124SPRT	24	09/23/1970	4.1	34	24	17	18	12	0	0	<4	42	0.7	150.0	301	498	129	23	0.7	0
	124SPRT	24	05/19/1998	4.2	32	9	5	8	11	0	1	6	21	0.2	48.3	140	201	43	28	0.5	0
38 21 507	124QNCT	82	06/09/1982	6.7	46	16	1	10	4	0	50	10	12	<.1	<.0	123	149	41	33	0.7	0
38 21 703	124WLX	1855	09/20/1966	8.3	14	1	1	429		31	940	0	83			1021	1650	6	99	72.6	16.3
38 21 704	124WLX	1818	03/07/1964	8.5	10	2	1	436		19	986	2	84			1038	1665	6	99	73.7	16.7
	124WLX	1818	09/23/1970	8.3	17	2	3	413		0	1001	3	80	1.1	<.4	1011	1782	17	98	43.2	16.1
	124WLX	1818	09/22/1976	8.6	10	1	1	451	29	23	979	9	125	1.2	<.4	1131	1998	5	99	87.3	16.7
38 21 705	124WLX	1810	10/20/1966	8.2	14	2	0	432		19	974	0	81			1027	1680	5	99	84.1	16.5
	124WLX	1810	09/23/1970	8.4	17	2	4	411		7	974	<4	80	1.1	<.4	1006	1760	23	97	36.8	15.7

* Depth value here reflects the bottom of the SAMPLED INTERVAL which was different from the completed well depth
U after date of collection signifies unbalanced or partial chemical analysis

GROUND WATER QUALITY SAMPLES
COUNTY - Anderson

Well	Aquifer	Well Depth (Feet)	Date of Collection	pH	Silica (SiO2) MG/L	Calcium (Ca) MG/L	Magnesium (Mg) MG/L	Sodium (Na) MG/L	Potassium (K) MG/L	Carbonate (CO3) MG/L	Bicarb. (HCO3) MG/L	Sulfate (SO4) MG/L	Chloride (Cl) MG/L	Fluoride (F) MG/L	Nitrate (NO3) MG/L	Dissolved Solids MG/L	Spec. Cond. (micromhos)	Hardness as CaCO3 MG/L	Percent Sodium	SAR	RSC
38 21 706	124CRRZ	720	05/14/1965	8.4	12	1	1	143		17	273	38	17			362	603	5	98	24.0	4.9
	124CRRZ	720	06/04/1965	8.6		2	1	140		5	289	32	15	0.8	<.4	338	603	9	97	20.2	4.7
	124CRRZ	720	10/09/1970	8.6	12	1	1	141		7	294	36	15	0.5	<.4	358	596	7	97	22.5	4.9
	124CRRZ	720	05/06/1993	8.7	13	0	<0	147	1	6	297	37	14	0.5	0.3	365	591	1	99	60.0	5.0
	124CRRZ	720	06/10/1998	8.8	14	<1	<1	144	<1	11	279	40	14	0.4	<.2	362	591	3	98	34.5	4.9
38 21 802	124SPRT	20	09/23/1970	5.6	35	6	5	33		0	7	39	42	0.1	1.3	164	255	33	68	2.5	0
	124SPRT	20	06/06/1975	6.3	27	8	2	26	<0	0	22	42	19	0.2	0.6	136	210	29	65	2.1	0
	124SPRT	20	11/19/1981	7.2	26	7	2	22		0	32	33	9	0.1	0.1	114	168	26	64	1.9	0
	124SPRT	20	11/18/1986	7.1	24	6	2	29	<1	0	27	33	20	0.1	2.7	131	204	24	72	2.6	0
	124SPRT	20	05/27/1993	5.9	23	6	2	19	1	0	23	32	9	0.1	1.1	104	146	23	63	1.7	0
38 21 903	124CRRZ	520	09/23/1970	8.0	11	1	2	155		0	336	52	17	0.4	<.4	404	685	11	96	19.8	5.3
38 21 904	124QNCT	50	08/11/1977	6.3	8	8	1	12	4	0	11	25	15	0.1	2.5	81	149	24	51	1.1	0
	124QNCT	50	11/18/1981 U	4.0	75	2	3	14	1	0	0	17	25	0.1	3.9	140	193	17	62	1.4	0
	124QNCT	50	11/18/1986 U	4.0	75	2	4	14	5	0	0	39	16	0.1	4.7	159	179	18	61	1.4	0
	124QNCT	50	07/21/1993 U	3.8	77	3	3	23	6	0	0	16	14	0.1	4.8	146	236	20	71	2.2	0
38 22 702	124SPRT		09/24/1970	5.1	19	2	2	7		0	0	13	4	<.1	9.0	54	65	11	54	0.8	0
38 22 802	124QNCT	62	09/24/1970 U	6.2	25	11	4	38		0	29	29	38	<.1	40.0	199	338	43	65	2.5	0
	124QNCT	62	07/22/1993 U	5.7	16	7	3	24	19	0	27	30	21	0.1	13.8	146	216	28	64	1.9	0
	124QNCT	62	05/19/1998	6.1	23	6	3	22	17	0	20	26	33	0.0	19.2	159	251	29	62	1.8	0
38 27 201	124CRRZ	565	08/22/1956			18	<1	112		36	183	24	28			308		47	83	7.1	3.3
38 27 301	124SPRT	28	07/13/1960	5.8	60	38	8	50		0	82	14	105	0.2	10.0	325	531	128	45	1.9	0
38 27 304	124QNCT	330	07/13/1961	5.9	37	35	12	17		0	100	59	21	0.1	0.0	230	350	136	21	0.6	0
38 27 305	124QNCT	302	05/07/1968	7.9		25	7	32		0	178	10	4	0.4	0.4	167	300	92	43	1.5	1.1
	124QNCT	302	12/15/1969	7.8		24	7	36		0	171	17	10	0.2	<.4	178	338	88	46	1.7	1.0
	124QNCT	302	10/14/1970	7.6	12	23	7	38		0	176	16	8	<.1	<.4	191	330	85	49	1.8	1.2
	124QNCT	302	06/06/1975	7.8	12	24	6	41	3	0	183	14	8	0.2	<.4	199	355	83	51	2.0	1.3
38 27 602	124QNCT	36	09/16/1970 U	3.9	56	2	2	4	2	0	0	20	9	<.1	<.4	95	113	13	38	0.5	0
38 27 707	124CRRZ	350	01/18/1972	8.3	11	5	2	80		0	190	25	8	0.2	<.4	225	375	20	89	7.7	2.7
38 27 804	124CRRZ	300	01/18/1972	7.8	13	3	1	81		0	181	23	9	0.3	<.4	219	365	11	93	10.2	2.7
38 27 805	124CRRZ	500	01/18/1972	8.6	15	1	2	401		17	942	<4	59	1.3	<.4	963	1674	11	98	52.6	15.8
38 27 806	100ALVM	45	01/18/1972	7.3	9	42	12	77		0	118	52	80	0.1	82.0	412	780	154	52	2.7	0
38 27 807	100ALVM	50	01/18/1972	8.3	9	20	6	55		0	44	20	94	<.1	<.4	225	450	74	61	2.8	0
38 28 101	124QNCT	347	09/24/1970	7.5	10	11	4	47		0	139	17	9	<.1	<.4	166	280	43	69	3.1	1.4
38 28 202	124QNCT	640	03/11/1940		12	50	16	<*		0	152	83	20		0.4	279		190	20	0.7	0
	124QNCT	640	06/14/1944	7.7	13	53	16	13	7	0	146	81	21	0.1	0.8	276	475	197	12	0.4	0
	124QNCT	640	08/03/1953		12	46	16	34		0	159	82	28	0.2	<.4	296		180	29	1.1	0
38 28 204	124CKMN	42	09/18/1970	5.7	29	7	3	12		0	12	10	10	<.1	25.0	102	126	29	46	1.0	0
38 28 303	124SPRT	229	09/22/1970	6.3	20	8	9	9		0	50	8	23	<.1	<.4	102	173	58	25	0.5	0
38 28 304	124SPRT	115	09/22/1970	5.6	16	2	1	4		0	4	5	5	<.1	1.0	35	39	9	47	0.5	0
38 28 305	124SPRT	42	09/22/1976	7.8	23	87	2	14		0	284	6	13	0.1	<.4	285	504	225	11	0.4	0.2
	124SPRT	42	11/19/1981	8.3	26	78	2	28		0	249	6	44	<.1	0.9	308	552	203	23	0.9	0
38 28 403	124SPRT	40	09/22/1970	6.2	51	6	2	12		0	16	23	9	<.1	1.0	112	113	22	54	1.1	0
38 28 502	124SPRT	49	09/22/1970	6.5	51	14	1	6		0	44	5	6	<.1	2.7	106	101	37	24	0.4	0

* Depth value here reflects the bottom of the SAMPLED INTERVAL which was different from the completed well depth
U after date of collection signifies unbalanced or partial chemical analysis

GROUND WATER QUALITY SAMPLES
COUNTY - Anderson

Well	Aquifer	Well Depth (Feet)	Date of Collection	pH	Silica (SiO2) MG/L	Calcium (Ca) MG/L	Magnesium (Mg) MG/L	Sodium (Na) MG/L	Potassium (K) MG/L	Carbonate (CO3) MG/L	Bicarb. (HCO3) MG/L	Sulfate (SO4) MG/L	Chloride (Cl) MG/L	Fluoride (F) MG/L	Nitrate (NO3) MG/L	Dissolved Solids MG/L	Spec. Cond. (micromhos)	Hardness as CaCO3 MG/L	Percent Sodium	SAR	RSC
38 29 105	124WLCX	1925	07/24/1970	8.4	13	1	1	438		19	991	0	80			1039	1670	6	99	74.1	16.8
	124WLCX	1925	09/23/1970	8.3	18	2	5	413		0	1024	3	76	1.6	<.4	1022	1804	25	97	35.5	16.3
	124WLCX	1925	06/07/1975	8.4	15	2	0	449	2	10	1030	<4	97	1.6	<.4	1087	1985	6	99	77.0	17.1
	124WLCX	1925	06/09/1982	8.6	17	1	1	452		18	1008	5	91	1.5	<.0	1081	1957	4	99	97.7	17.0
38 29 107	124SPRT	31	09/24/1970	6.3	30	30	8	40		0	52	3	98	0.4	9.5	245	447	108	44	1.7	0
38 29 108	124CRRZ	722	08/14/1996	8.6		<1	<1	140		5	304	31	14	0.4	<.0	341	604	6	97	23.7	5.0
38 29 204	124SPRT	25	09/24/1970	5.6	30	10	5	20		0	24	5	27	<.1	27.0	135	209	44	49	1.3	0
	124SPRT	25	06/06/1975	5.6	23	5	3	12	2	0	10	5	19	0.2	14.0	87	122	23	53	1.1	0
	124SPRT	25	06/09/1982	6.6	23	5	2	11		0	13	5	14	<.1	13.6	80	111	22	51	1.0	0
38 29 205	124QNCT	220	09/24/1970	7.5	12	36	13	17		0	195	15	5	0.1	<.4	194	340	143	20	0.6	0.3
38 29 206	124QNCT	70	07/22/1993	6.3	26	23	7	36	7	0	104	39	29	0.2	1.7	219	329	85	47	1.7	0
38 29 303	124SPRT	26	09/24/1970	6.2	17	28	6	30		0	57	5	35	<.1	70.0	219	360	95	40	1.3	0
38 29 401	124SPRT	109	07/13/1960	6.0	24	5	2	15		0	13	0	14	0.0	28.0	94	137	20	61	1.4	0
38 30 101	124QNCT	280	07/13/1960	6.6	40	2	3	61		0	124	26	14	0.2	0.2	207	286	15	89	6.7	1.7
38 30 202	124QNCT	33	09/24/1970	6.7	35	5	2	12		0	11	8	20	<.1	<.4	87	104	19	57	1.2	0
39 08 302	124WLCX	327	08/19/1970	8.8	14	2	1	260		18	455	<4	126	0.2	<.4	649	1170	9	98	36.5	7.9
39 08 602	124WLCX	320	08/19/1970	8.3	14	4	2	460		0	516	<4	433	0.4	<.4	1171	2256	16	98	49.4	8.1

* Depth value here reflects the bottom of the SAMPLED INTERVAL which was different from the completed well depth
U after date of collection signifies unbalanced or partial chemical analysis